

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	10	((control signal) near3 (line wire)) near3 (disposed placed positioned located arranged) near3 (voltage near2 transmission near2 (line wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 06:29
L4	2024	((control signal) near3 (line wire)) near3 (disposed placed positioned located arranged) near3 ((voltage transmission power) near3 (line wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 06:30
L5	143	L4 and LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 06:44
L6	18	LOG-type adj signal adj line adj group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 07:36
L7	900	signal adj line adj group	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 06:55
L8	111	L7 and LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 07:01
L23	16	redundant near3 (driving near2 signal near2 (line wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 07:37
L24	408	redundant near3 ((power voltage transmission) near2 (line wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 07:37

L25	22	L24 and LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 07:37
L29	41	((gate scan scanning) adj line) and ((drive data) adj line)) near3 ((contact protective) near2 electrode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:02
L30	944	345/690.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:02
L31	1177	345/211.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:03
L32	1392	349/149.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:03
L33	431	349/152.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 13:03
S1	2	("20020054004").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/29 08:18
S2	6421	(electrolysis corrosion) near prevention	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 14:08

S3	3	S2 and 345/87-92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 14:08
S4	41212	(electrolysis corrosion) near prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 14:42
S5	11	S4 and 345/87-92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 14:09
S6	53513	(electrolysis corrosion) near2 prevent\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 14:45
S7	14	S6 and 345/87-92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 14:43
S8	42	S6 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 07:30
S9	284	(electrolysis corrosion) and "345"/\$. ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/19 14:45
S10	65	(electrolysis corrosion) and 345/87-92.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:39

S11	879	(electrolysis corrosion) and (345/87-92.ccls. "349"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:40
S12	292	((electrolysis corrosion) near2 (prevent\$3 reduct\$3)) and (345/87-92.ccls. "349"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 15:27
S13	9	S12 and (lines near2 (sequential\$3 sort\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:44
S14	65	S12 and (lines near2 arrang\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:48
S15	8	(voltage near2 transmission near2 lines) and (345/87-92.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 10:49
S17	8	((electrolysis corrosion)) and (345/205-206.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/20 15:31
S18	1289	voltage near2 supply near2 (arranged sorted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 07:39
S19	22	S18 and "345"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 07:37

S20	91	voltage near2 (supply transmission) near2 (line? wire?) near2 (arranged sorted)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 07:58
S21	5918	voltage near2 (supply transmission transfer) near2 (line? wire?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 07:59
S22	2029	S21 same (arrange? sort\$2 rank\$2 position\$2 align\$2 dispose? form\$2 organize?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 08:01
S23	737	S21 with (arrange? sort\$2 rank\$2 position\$2 align\$2 dispose? form\$2 organize?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 08:01
S24	209	S21 near2 (arrange? sort\$2 rank\$2 position\$2 align\$2 dispose? form\$2 organize?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 09:56
S25	120	S22 and ("345"/\$.ccls. "349"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 08:47
S26	3522	(voltage? near2 (magnitude? strength\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 08:50
S27	1099	S26 same (arrange? sort\$2 rank\$2 align\$2 dispose? form\$2 organize?)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 08:50

S28	42	S27 and ("345"/\$.ccls. "349"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/21 08:50
S29	4522	(voltage near2 (transmission supply) near2 (wire line)) same (arrange? sort\$2 order\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:10
S30	237	S29 and "liquid crystal display"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:07
S31	2298	(voltage near (transmission supply) near (wire line)) same (arrange? sort\$2 order\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:10
S32	833	(voltage near (transmission supply) near (wire line)) with (arrange? sort\$2 order\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:10
S33	59	S32 and "liquid crystal display"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:15
S34	544	((power voltage) adj (supply) adj (line wire)) with (arranged sorted ordered positioned) near2 (voltage level power magnitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:17
S35	102	S34 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:17

S36	13	S34 and "LCD"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 15:17
S37	57	(voltage adj transmission adj (line wire)) with substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:12
S38	71	(voltage adj transmission adj (line wire)) same substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:14
S40	291	(voltage adj transmission adj (line wire)) and substrate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:14
S41	22	S40 and ((liquid adj crystal adj display) LCD)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:23
S42	183	arranged near3 magnitude near3 voltage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:25
S43	3	S42 and LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:24
S44	21	S42 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/29 11:25
S47	46	(voltage with (line wire) with substrate with display with (arranged ordered sorted)).clm.	US-PGPUB	OR	ON	2005/12/29 11:46

S48	17	(US-20020075218-\$ or US-20030117356-\$ or US-20030117566-\$ or US-20030117567-\$ or US-20030189685-\$ or US-20040032544-\$ or US-20040041826-\$ or US-20040095303-\$).did. or (US-3781862-\$ or US-3936815-\$ or US-4922241-\$ or US-5363118-\$ or US-6043859-\$ or US-6107981-\$ or US-6842203-\$).did. or (JP-2004310026-\$).did. or (JP-05150748-\$).did.	US-PGPUB; USPAT; JPO; DERWENT	OR	OFF	2006/01/03 11:07
S49	3	S48 and pad	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:26
S50	82	"contact assistant"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:26
S51	31	S50 and LCD	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 13:55
S52	584	(ITO IZO) near3 (pad (contact near hole))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/01/03 15:03
S53	7	(control near2 signal near2 (line wire)) with ((first second) near3 voltage near2 transmission near2 (line wire))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/04 06:25